WHAT IS CLAIMED IS:

2	1. A method for producing jerked meat rawhide chew toys comprising
3	the steps of
4	forming rawhide chew toys;
5	preparing meat to maintain the meat fresh;
6	processing the meat to increase the meat taste;
7	coating the rawhide chew toys with meat; and
8	drying the rawhide chew toy coated with meat.
9	2. The method for producing jerked meat rawhide chew toys as claimed
10	in claim 1, wherein the step of forming rawhide chew toys comprises
11	breaking rawhide into pieces,
12	extruding the broken rawhide in a sheet and
13	twisting the sheet into a bone shape.
14	3. The method for producing jerked meat rawhide chew toys as claimed
15	in claim 2, wherein the step of preparing meat comprises immersing meat in a
16	treatment solution that comprises propylene glycol, sorbitol, vitamin C,
17	potassium sorbate, polyphosphate, sodium nitrite and water for 6 hours.
18	4. The method for producing of jerked meat rawhide chew toys as
19	claimed in claim 3, wherein the meat is immerse into the treatment solution
20	containing 1 wt % propylene glycol, 3 wt % sorbitol, 0.1 wt % vitamin C, 0.2 wt
21	% potassium sorbate, 0.1 wt % polyphosphate, 0.1 wt % sodium nitrite and the
22	remaining is water.
23	5. The method for producing of jerked meat rawhide chew toys as
24	claimed in claim 3, wherein the step of processing the meat comprises

removing the meat from the treatment solution, 1 drying the meat, 2 breaking the meat into pieces and 3 adding spices. 4 5 6. The method for producing of jerked meat rawhide chew toys as 6 claimed in claim 5, wherein the step of coating the rawhide chew toys with meat comprises directly spreading the processed meat on the surface of the rawhide 7 8 chew toys. 9 7. The method for producing of jerked meat rawhide chew toys as 10 claimed in claim 5, wherein the step of coating the rawhide chew toys with meat 11 comprises extruding the processed meat through a mold onto the rawhide chew 12 toys. 8. The method for producing of jerked meat rawhide chew toys as 13 14 claimed in claim 6, wherein the step of drying the rawhide chew toys coated with meat is divided into three phases, wherein 15 16 the first phase comprises drying the rawhide chew toys coated with meat at room temperature for 3 hours in the presence of fans; 17 the second phase comprises further drying the rawhide chew toys coated 18 with meat in an oven at 50°C for 3 hours; and 19 20 the third phase comprises completely drying the rawhide chew toys coated with meat in the oven at 70°C for 15 hours. 21 9. The method for producing of jerked meat rawhide chew toys as 22 claimed in claim 7, wherein the step of drying the rawhide chew toys coated with 23

meat is divided into three phases, wherein

24

1	the first phase comprises drying the rawhide chew toys coated with meat
2	at room temperature for 3 hours in the presence of fans;
3	the second phase comprises further drying the rawhide chew toys coated
4	with meat in an oven at 50°C for 3 hours; and
5	the third phase comprises completely drying the rawhide chew toys
6	coated with meat in the oven at 70°C for 15 hours.
7	10. The method for producing jerked meat rawhide chew toys as claimed
8	in claim 1, wherein the step of producing meat comprises immersing meat in a
9	treatment solution that comprises propylene glycol, sorbitol, vitamin C,
10	potassium sorbate, polyphosphate, sodium nitrite and water for 6 hours.
11	11. The method for producing of jerked meat rawhide chew toys as
12	claimed in claim 10, wherein the meat is immerse into the treatment solution
13	containing 1 wt % propylene glycol, 3 wt % sorbitol, 0.1 wt % vitamin C, 0.2 wt
14	% potassium sorbate, 0.1 wt % polyphosphate, 0.1 wt % sodium nitrite and the
15	remaining is water.
16	12. The method for producing of jerked meat rawhide chew toys as
17	claimed in claim 11, wherein the step of processing the meat comprises
18	removing the meat from the treatment solution,
19	drying the meat,
20	breaking the meat into pieces and
21	adding spices.
22	13. The method for producing of jerked meat rawhide chew toys as
23	claimed in claim 1, wherein the step of coating the rawhide chew toys with meat
24	comprises directly spreading the processed meat on the surface of the rawhide

- 1 chew toys.
- 2 14. The method for producing of jerked meat rawhide chew toys as
- 3 claimed in claim 1, wherein the step of coating the rawhide chew toys with meat
- 4 comprises extruding the processed meat through a mold onto the rawhide chew
- 5 toys.
- 6 15. The method for producing of jerked meat rawhide chew toys as
- 7 claimed in claim 1, wherein the step of drying the rawhide chew toys coated with
- 8 meat is divided into three phases, wherein
- 9 the first phase comprises drying the rawhide chew toys coated with meat
- at room temperature for 3 hours in the presence of fans;
- the second phase comprises further drying the rawhide chew toys coated
- with meat in an oven at 50°C for 3 hours; and
- the third phase comprises completely drying the rawhide chew toys
- coated with meat in the oven at 70°C for 15 hours.